

FM90 DIGIT

TROLLEY MANUAL HEAT-SHRINK - SEALING BAR 1280X800 MM



DESCRIPTION

The **FM DIGIT** range consists of four models designed for clients with different production needs and it provides an excellent mix of performance, price and reliability over time.

The series is entirely made of steel.

The four different models enable us to meet different manufacturing needs.

minipack®-torre S.p.A.



Shrink magnet provided as standard, lower stainless steel washable tank to ensure greater hygiene when packaging food, six different programs that can be selected directly from the control panel, which is used to set all machine functions, sealing with adjustable pulse-operated blade, safety thermostat and buzzer to protect the oven, adjustable work surface and sliding carriage, film micro-puncher, motorised scrap recoiler: these are the features fitted on our whole **FM** range. Two operating modes: sealing-only and sealing with wrapping.

FM90 DIGIT is the largest model of the **FM** range and it is suited for packaging oversize packages, maintaining the productivity and quality typical of this range.

TECHNICAL FEATURES

| Electrical power supply | V | 200/208/380 |
|--|-----------|-------------------|
| Phase | ph | 3 |
| MAX power installed | kW | 7.2 |
| Hourly output | p/h (pph) | 300 |
| Available dimensions of sealing bars | mm | 1280x800 |
| MAX Reel Dimensions (diameter) | mm | 260 |
| MAX Reel Strip Dimensions (width) | mm | 1000 |
| Work surface height | mm | 910 |
| Machine dimensions with the lid open | mm | 2800x1280x h.1540 |
| Machine dimensions with the lid closed | mm | 2800x1280x h.1170 |
| Machine weight (Net/Gross) | kg | 455/505 |

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

