

KARTAFORM + KARTATAPE

Automatic flap closer + self-sizing gummed paper taping machine



DESCRIPTION

The water-activated tape (commonly referred to as "gummed paper," "gum tape," or "Kraft paper tape") instantly adheres to both virgin and recycled fiber surfaces. It forms an immediate, destructive bond, ensuring tamper-evident packaging.

TECHNICAL FEATURES

	MIN	MAX
Width	150 mm	600 mm

minipack®-torre S.p.A.


Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

Height	150 mm	600 mm
Length	250 mm	800 mm
Voltage	230V 1 Ph 50/60Hz-2 power points	230V 1 Ph 50/60Hz-2 power points

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

TECHNICAL DRAWING



TOP HIGHLIGHTS

- Patented fast coil change kit with motorized lower arm opening – standard
- Energy saving, belt start only in the presence of the box – standard
- Patented and technologically advanced strapping unit
- Axis handling with brushless motors

TECHNICAL FEATURES

- Touch screen PLC
- Easy and intuitive coil change and strapping unit reset
- Automatic upper flap closing
- Automatic size adjustment
- Servo-assisted automations
- Automatic box height and width detection
- Adjustable speed at 3 levels, max belt advance, 30 m/min
- Average production from 0 to 10 packages per minute, with vegetable glue tape
- Belt height 75 mm

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

- Usable belts: standard paper – reinforced paper – heavy reinforced paper

OPTIONAL

- Electric plug-in model with built-in autonomous air system
- Automatic box centering
- 500 mm loading and unloading roller conveyor
- Professional and adjustable self-braking wheels
- Lower paper break warning (recommended)
- Lower coil end warning
- System for lower strapping only