

# **MEDIA BACK 45**

### MANUAL ANGLE WRAPPER FOR A SINGLE OPERATOR



## DESCRIPTION

The **Media Back 45** packaging machine has been carefully designed to maximize production line efficiency, allowing **operation by a single operator**. Its **"come back" function** enables the product to pass through the shrink tunnel and exit from the same entry point, greatly facilitating the operator's work without requiring additional movements.

#### minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151



Moreover, the **integration of the tunnel** ensures uniform film shrinkage on the products throughout the entire production cycle, guaranteeing a homogeneous and high-quality package. Despite its advanced performance, this machine has a compact footprint, optimizing the available space in the work area.

The **possibility of adjusting the tunnel speed via an inverter** allows precise control of the shrink process, adapting it to the specific needs of the product and production. Additionally, **the ability to customize the dwell time of the product inside the tunnel** offers an additional level of flexibility in the packaging process.

In conclusion, the Media Back 45 packaging machine represents a complete and highly efficient solution for packaging needs, combining advanced technology, ease of use, and operational flexibility to fully meet the demands of the most demanding customers.

## **TECHNICAL FEATURES**

Electrical supply	220V 50/60Hz single-phase
Maximum installed power	4.2kW
Sealing bar dimensions	340x450mm
Maximum product height	130mm
Maximum roll dimensions	450mm (diameter 250mm)
Manual sealing arm with magnet- controlled release	Yes
Single conveyor belt	Yes
Machine dimensions	1080x1150x1120mm
Weight	200kg


minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.


## **TECHNICAL DRAWING**

#### minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151







**minipack®-torre S.p.A.** Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151