

REPLAY 35 EVO

TABLETOP MANUAL HEAT SHRINK - SEALING BAR 380X250MM



DESCRIPTION

The **REPLAY evo** range offers more basic products, yet with the same high quality. Equipped with new cutting-edge and exclusive systems, it is the most competitive offer of the new **minipack®-torre** chamber machines.

REPLAY 35 evo combines significant technological content with a basic and compact shape in order to aim at substance without losing sight of excellence, a characteristic common to all machines made by **minipack®-torre**.

TECHNICAL FEATURES

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151




minipack®
THE ORIGINAL PIONEER

Electrical power supply	230V 1Ph 120V 1Ph
Maximum power installed	2kW (230V) 2,25kW (120V)
Maximum current	8,6A (230V) 19A (120V)
MAX product size	350x240x140 mm
Available dimensions of the sealing bars	380x250 mm
MAX Reel Dimensions (Ø x length)	Ø200x380 mm
Machine dimensions (open hood)	935x420x640 mm
Machine dimensions (closed hood)	935x690x640 mm
Weight (Net/Gross)	49-63 kg

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

TECHNICAL DRAWING



PLUS

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

- Innovative reel holder support for quick film changes
- Double magnet sealing kit as standard
- Soft shrink
- Fan stop
- Ultra-performing steel heating elements
- Mobile product plate, released from the reel support
- Possibility of height adjustment of the internal plate
- 9 storable programs
- Reduced energy consumption
- New latest-generation board