

SEALPRO 20E

ELECTRIC TRAY SEALER - MAX TRAY DIMENSIONS 200X270X100 MM



DESCRIPTION

The **Sealpro 20E**, a fully electric tray sealer of the latest generation, is the natural evolution of the established and reliable manual range.

The **Sealpro 20E** is entirely built in stainless steel and is equipped with a thermostat for accurate temperature regulation during sealing, as well as a preset welding time management system with

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

different options to facilitate operator use.

It is the ideal machine for the delicatessen counter of shops and supermarkets.

Available upon request:

- Mold for 1 tray
- Mold for 2 trays
- Gas flushing version supplement
- Mold for 1 gas flushing tray
- Mold for 2 gas flushing trays
- Die-cut mold for each type of tray

TECHNICAL FEATURES

Power supply	220V - 50hz
Maximum installed power	1kW
Production capacity	up to 5 cycles per minute
Maximum tray size	200x270x100mm
Maximum roll size	200mm
Customizable stamp	Yes
Automatic welding and cutting	Yes
Dual safety sensor for mold insertion	Yes
Audible signal at the end of the cycle	Yes
Selectable preset welding time	Yes
Machine size	250x450x560
Weight	30kg

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151



minipack®
THE ORIGINAL PIONEER

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151