

SEALPRO 50 EVO

ATM TRAY SEALER - MAX TRAY DIMENSIONS 380X270X120 MM



DESCRIPTION

The **Sealpro 50 evo** is the evolution of the Sealpro 50 heat sealer, equipped with a state-of-the-art multilingual PLC and a 4.3" color touchscreen panel.

In addition to the standard USB port which allows for program management and download of production programs, as well as the loading of any updates, it is also possible to request the

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151

installation of a photocell for printed film and a connection for remote assistance. Like our entire range, the machine is extremely easy to use even for operators without specific technical skills. Furthermore, the quick mold change system allows for format changes in just a few minutes and with minimal effort, thanks to special guides

Available upon request:

- Touch screen PLC
- Printed film photocell
- Remote assistance kit
- Mold for 1 tray
- Mold for 2 trays
- Mold for 3 trays
- Mold for 4 trays
- Mold for 5 trays
- Mold for 6 trays
- Universal sealing plate
- Skin mold on cardboard 1 imprint (h. 45mm)
- Skin mold on cardboard 2 imprints (h. 45mm)
- Automatic trim winder standard or with rubberized roller
- Tray skin
- 10mm over skin on tray
- 40mm over skin on cardboard
- Automatic drawer opening closure
- Special voltage supplement
- Internal silent compressor

TECHNICAL FEATURES

Power supply	230V/400V - 50hz
Maximum installed power	2,5kW
Production capacity	up to 5 cycles per minute
Maximum tray size	380x270x120mm
Max roll width	420mm - skin 450mm

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151



minipack®
THE ORIGINAL PIONEER

Vacuum pump	20-40-60 m ³ /h
Number of storable programs	100
Color touch screen	Yes
Customizable mold	Yes
Rapid mold change	Yes
Modified atmosphere packaging (MAP)	Yes
Vacuum sensor	Yes
Machine dimensions	810x550x1350mm
Weight	150kg

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

minipack®-torre S.p.A.

Sede legale - Via Provinciale, 54 - 24044 DALMINE (BG) Italy

P.IVA - C.F.: 01633550163 - Capitale sociale 619.200,00 i.v. - Reg. Imprese di Bergamo 01633550163 - REA n. 224151